

# SCANSTRUT



## PRODUCT GUIDE

*Raymarine* EDITION





# ***SCANSTRUT***

International market leader in manufacturing installation solutions for marine electronics.



Mounts  
Compatibility  
Guide

Raymarine Product	Mount Type	Scanstrut Part #	Raymarine Part #
QUANTUM	Mast Mount	SC20	A80382
	Self-Levelling Mast Mount	LMM-1	X10000-SCA
	5" PowerTower	APT-150-01	APT-150-01
	10" PowerTower	APT-250-01	APT-250-01
RD418 RD418HD	Mast Mount	M92722	M92722
	Self-Levelling Mast Mount	LMM-1	X10000-SCA
	5" PowerTower	APT-150-01	APT-150-01
RD424 RD424HD	10" PowerTower	APT-250-01	APT-250-01
	Self-Levelling Mast Mount	LMM-1	X10000-SCA
	5" PowerTower	APT-150-01	APT-150-01
AXIOM 9/Pro 9S /9RVX a95/a97/a98 eS95/97/98	10" PowerTower	APT-250-01	APT-250-01
	Scanpod for Deck or Dash	SPD-8D-W	A80103

SC20  
A80382

## Mast Mounts (fixed)

Compatible with:  
QUANTUM



### UNIVERSAL MOUNTING

Attaches to mast with four swivel feet, matching a variety of mast profiles.

### STRONG FIXING

12 point fixing using high quality monel rivets.

### COMPACT MOUNTING

Antenna extends only minimum distance from the front of the mast.

M92722

M92722

## Mast Mounts (fixed)

Compatible with:

RD418/RD418HD



### UNIVERSAL MOUNTING

Attaches to mast with four swivel feet, matching a variety of mast profiles.

### STRONG FIXING

12 point fixing using high quality monel rivets.

### COMPACT MOUNTING

Antenna extends only minimum distance from the front of the mast.

LMM-1  
X10000-SCA

## Mast Mount (Self-Leveling)

Compatible with:  
QUANTUM  
RD418/RD418HD  
RD424/RD424HD



### HYDRAULIC DAMPING

The main levelling unit features a fine turned damping system which reacts to major changes in heel angle of the boat. It is entirely maintenance free and no power is required

### LIGHTWEIGHT HEAD UNIT

Reduced weight aloft – complete system weighs only 8.1 lbs

### SECURE INSTALLATION

Attaches to mast with four swivel feet, matching a variety of mast profiles. A 12 point fixing using monel rivets ensures a secure fixing

### SUITABLE FOR ANY YACHT

Stainless radome cradle has a fine tune adjustment for different mast rake angles

**SPD-8D-W**  
A80103



## Scanpod

**Compatible with:**

AXIOM 9/Pro 9S /9RVX

a95/a97/a98

eS95/97/98

### SWIVEL & TILT BASE

One handed quick release action. Simply release the lever, swivel and tilt to suit your requirements before locking back into position.

### OVERHEAD MOUNTING

Deck Pod models can be overhead mounted.

### HASSLE FREE INSTALL & SERVICE

Fixings fit from back to front cutting their threads into injection moulded ABS inserts designed into the Pod front. This design allows for a quick and safe install and repeat servicing.

### INCREASED PROTECTION

Pod seal is manufactured from a high tear strength silicone.

APT-150-01  
APT-250-01

## PowerTower

**Compatible with:**  
RD418/RD418HD  
RD424/RD424HD  
QUANTUM



### CHOICE OF HEIGHTS

#### **APT-150-01**

6" for low level clearance of smaller obstacles.

#### **APT-250-01**

10" for greater clearance and increased radar horizon.

### EASE OF INSTALL

Pre-drilled mounting holes, the antenna fastens to PowerTower top plate using its own mounting bolts.

Internally Mounted Scanstrut DS30 cable seal

Marine Sealant not required

No need to cut cable or remove plugs

Inserts included to fit cables from all major radomes



APT-LB-GPS2-01  
APT-GPS-01  
APT-LB-01

## PowerTower Accessories

Compatible with:  
APT-150-01  
APT-250-01



**APT-GPS-01**  
Central GPS/ VHF  
Antenna Bar



**APT-LB-01**  
Central Lightbar



**APT-LB-GPS2-01**  
Central Bar for  
2x Antenna & 1x Navlight

Also available from Scanstrut

## Cable Seals



# ROKK



*mini*



*midi*



*charge+*

Discover more at [scanstrut.com](http://scanstrut.com)

“As a producer of ancillary navigational equipment, Scanstrut has successfully surfed the wave of marine electronics for 30 years.” International Boat Industry Magazine



Raymarine  
603 324 7900  
[www.raymarine.com](http://www.raymarine.com)

Find out more at  
[www.scanstrut.com](http://www.scanstrut.com)

***SCANSTRUT***