



LALIZAS 
Simply life saving

www.lalizas.com

LIFEBUOY RING
+ ACCESSORIES

Behold

The new Height Champion


For use on big ships and offshore drilling units* with lifebuoy drop storage height up to 80m

800m



0098

* Certified in accordance with the IMO MODU Code



Behold

The new Height Class

LALIZAS **Lifebuoy Ring SOLAS**

Designed for pleasure & commercial usage.
Features an orange polyethylene outer shell that
does not deteriorate. Remains unaffected by extreme
weather conditions. Flame & Oil Resistant.

Code **70090** : **2,5 kg** (5.11 lb)

Code **70110** : **4,0 kg** (8.81 lb)



0098

**For use on big ships & IMO MODU certified
offshore drilling units** with lifebuoy
drop storage height up to**

80m

CE Approved

According to SOLAS

L.S.A. Code by G.L.Hamburg ©

CE approval certificates replace all the
National approval certificates of European
committee member states (D.O.T-U.K etc).

** IMO L.S.A Code (Life-Saving-Appliances Code) as amended, corresponds to the latest
amendment of chapter III of SOLAS in force since June 1998, as well as the Maritime Equipment Directive 96/98/EC.

** Suitable for offshore drilling units certified in accordance with IMO MODU Code. IMO MODU Code corresponds to the code for construction & equipment
of "MOBILE OFFSHORE DRILLING UNITS".

Behold

The new Height Champion



0098

SUITABLE FOR
OFFSHORE DRILLING
UNITS, CERTIFIED IN
ACCORDANCE
WITH THE IMO
MODU CODE

U.V.
PROTECTED
OUTER SHELL

Main Specifications

- * Drop Height: **80m**
- * Strength Resistant: **90kg Test**
- * Storage Temperature: **-30° C till + 65° C**
- * Floatable/Unsinkable: **14.5kg Test**
- * Flame / Diesel Oil Resistant
- * PE Lifebuoy Shell

The PE Grab line which surrounds the LALIZAS Lifebuoy Ring, is designed to withstand oil and flames and provides easy & quick grab in case of emergency

Every LALIZAS Lifebuoy Ring is equipped with 400 sq.cm of Lalizas approved Retro-Reflective Tape (LALIZAS Code 70180)

The Highly visible colour of LALIZAS Lifebuoy Ring makes it easily detectable in water, through waves and humidity

LALIZAS 
Simply life saving

Behold

The new Height Champion



LALIZAS Lifebuoy Ring SOLAS

Being on top of safety standards in marine equipment industry, requires tremendous effort & true passion... Two elements which enforce our originality & challenge us with every day.

LALIZAS Lifebouoy Ring SOLAS is the new 80m height Champion.



COMPARISON BOARD

LALIZAS Code

LALIZAS Lifebuoy Ring SOLAS 2,5kg®

LALIZAS Code

LALIZAS Lifebuoy Ring SOLAS 4,0kg®

LALIZAS Code

PRODUCT CERTIFICATES

MED approved according to SOLAS 74/78 as amended Reg. III/4, III/7, III/34, X/3, MSC.48(66), MSC.81(70) [LSA Code] as amended by MSC.207(81), MSC.36(63) and MSC.97(73) [HSC Code].

WEIGHT

2.5 kg (5.11 lb)

4.0 kg (8.81 lb)

DROP HEIGHT

80m

80m

LIFEBUOY SHELL / INTERNAL MATERIAL

PE / PU Frothing

PE / PU Frothing

GRAB LINE MATERIAL

PE

PE

REFLECTIVE TAPE

Lalizas LA70180, SOLAS/MED approved Retro- Reflective Material. In compliance with resolution A.658 (16)

HIGHLY VISIBLE COLOUR

YES

YES

STORAGE TEMPERATURE

-30° C up to + 65° C

-30° C up to + 65° C

RESISTANT TO FLAME / DIESEL OIL

YES / YES

YES / YES

TESTED FOR OPERATION w. LIGHT & SMOKE SIGNAL

-

YES

EXTERNAL/INTERNAL DIAMETER

715mm ± 5 / 445mm ± 5

715mm ± 5 / 445mm ± 5

LALIZAS 
Simply life saving